

Acier laminé à froid

Barres rondes Métriques

Dimensions (Pouces)	Poids par pied (Lbs)
2 mm	0.017
2.5 mm	0.026
3 mm	0.037
3.5 mm	0.051
4 mm	0.066
4.5 mm	0.084
5 mm	0.104
5.5 mm	0.125
6 mm	0.149
7 mm	0.203
8 mm	0.265
9 mm	0.350
10 mm	0.414
11 mm	0.501
12 mm	0.596
13 mm	0.700
14 mm	0.811
15 mm	0.932
16 mm	1.060
17 mm	1.196
18 mm	1.341
19 mm	1.495
20 mm	1.656
21 mm	1.826
22 mm	2.004

23 mm	2.190
24 mm	2.385
25 mm	2.588
26 mm	2.799
27 mm	3.018
28 mm	3.246
29 mm	3.482
30 mm	3.726
31 mm	3.979
32 mm	4.239
33 mm	4.508
34 mm	4.786
35 mm	5.072
36 mm	5.365
37 mm	5.668
38 mm	5.978
39 mm	6.297
40 mm	6.624
41 mm	6.959
42 mm	7.303
43 mm	7.655
44 mm	8.015
45 mm	8.384
46 mm	8.760
47 mm	9.145
48 mm	9.539
49 mm	9.940
50 mm	10.350
52 mm	11.195
54 mm	12.072
55 mm	12.524
56 mm	12.983
58 mm	13.927
60 mm	14.904
65 mm	17.492
70 mm	20.286

75 mm	23.288
80 mm	26.496
85 mm	29.912
90 mm	33.534
95 mm	37.364
100 mm	41.400
105 mm	45.644
110 mm	50.094
115 mm	54.752
120 mm	59.616
125 mm	64.688
130 mm	69.966
135 mm	75.452
140 mm	81.144
145 mm	87.044
150 mm	93.150
155 mm	99.464
160 mm	105.984
165 mm	112.712
170 mm	119.646
175 mm	126.788
180 mm	134.136
185 mm	141.692
190 mm	149.454
195 mm	157.424
200 mm	165.600